

Informazioni personali

Cognome(i)/Nome(i)

CONFORTINI Massimo

Indirizzo(i)

Loc. Mulinaccio, 36 50036 Borgo San Lorenzo- Firenze (Italia)

Telefono(i)

055.32697863

Mobile 349.7335196

Fax

05532697879

E-mail

m.confortini@ispo.toscana.it

Cittadinanza

Italiana

Data di nascita

14 Maggio 1950

Sesso

M

Codice fiscale

CNFM50E14D612T

Esperienza professionale

Lavoro e posizione ricoperti

Date

Dal 18 aprile 2014 ad oggi

Lavoro o posizione ricoperti

Direttore Struttura Complessa del Laboratorio di Prevenzione Oncologica a valenza regionale dell'Istituto per lo Studio e la Prevenzione Oncologica (ISPO) di Firenze
07/08/2002 al 17 aprile 2014

Date

Direttore U.O.C. Citologia Analitica e Biomolecolare dell'Istituto per lo Studio e la Prevenzione Oncologica (ISPO) di Firenze
01/06/2010 al 17 aprile 2014

Date

Direttore ad interim UOC Citopatologia dell'Istituto per lo Studio e la Prevenzione Oncologica (ISPO) di Firenze
Dal 01/01/1995 al 05/08/2002

Lavoro o posizione ricoperti

Biologo Dirigente Fascia A e vicedirettore del laboratorio Citopatologia del CSPO

Date

05/12/1979 al 31/12/1994

Lavoro o posizione ricoperti

Biologo Coadiutore di Ruolo del laboratorio Citopatologia del CSPO

Date

05/02/1979 al 04/12/1979

Lavoro o posizione ricoperti

Biologo di Ruolo

Principali attività e responsabilità

Direttore di 'U.O C. con compiti di gestione, organizzazione e programmazione nell'attività di routine e di ricerca legata alla diagnosi precoce dei tumori.

Nome e indirizzo del datore di lavoro

Istituto per lo Studio e la Prevenzione Oncologica (ISPO)

Tipo di attività o settore

Via Cosimo Il Vecchio, 2 – 50139 Firenze

Ente Pubblico – Settore Sanità

Istruzione e formazione

Date

21/12/1973

Titolo della qualifica rilasciata

Diploma di laurea in Scienze Biologiche conseguito presso l'Università di Firenze con 110/110 con una tesi sperimentale sul " Dosaggio radioimmunologico della gastrina";

Date

1981 al 1984

Titolo della qualifica rilasciata

Diploma di Specializzazione in Patologia Generale ad indirizzo tecnico conseguito presso l'Università di Genova con votazione finale di 48/50;

Date

Dal 1984 al 1986

Titolo della qualifica rilasciata

Diploma di Perfezionamento in Citochimica ed Istochimica conseguito presso l'Università di Pavia con votazione finale di 30/30;
1988

Data

Titolo della qualifica rilasciata

Diploma di Perfezionamento in Citopatologia conseguito presso l'Università di Napoli

Madrelingua

Italiano

Altra(e) lingua(e)

Inglese - Francese

Autovalutazione

Livello europeo (*)

Comprensione

Parlato

Scritto

Acolto

Lettera

Interazione

Produzione

orale

orale

Lingua

Inglese

Buono

Buono

Buono

Buono

Buono

Lingua

Francese

Buono

Buono

Buono

Buono

Buono

Patente

B

Ulteriori Informazioni

- 1983 Membro dell'Accademia Internazionale di Citologia (IAC) dopo superamento di un esame teorico-pratico in Vienna;
- Presidente della Società italiana di Citologia dal 1991 al 1997
- Coordinatore nazionale per la citologia del GISCI (Gruppo Italiano per lo screening cervico-vaginale) dal dicembre 1998 al dicembre 2001;
- Segretario nazionale del GISCI dal dicembre 2001 ad aprile 2005.
- Componente Gruppo di lavoro nominato dal Ministro della Salute in applicazione della legge 138 sugli screening oncologici dal gennaio 2005 ad aprile 2006
- Coordinatore della Commissione nazionale dell'Ordine Nazionale Biologi di Citologia ,Istologia e Citogenetica dal gennaio 2013 ad oggi
- Relatore e Docente ad oltre 200 Congressi, Corsi e Seminari in ambito Nazionale e Internazionale
- Autore di oltre 150 pubblicazioni scientifiche su riviste nazionali ed internazionali
- Coautore del libro "Protocolli Preanalitici in Citologia" edito dalla Menarini Diagnostics
- Coautore del libro "Lo studio di fattori prognostici su agoaspirato mammario" edito dalla Menarini Diagnostics
- Coautore del libro " HPV e Problematiche diagnostiche" edito dalla Menarini Diagnostics
- Coautore del CD-Rom "Citologia cervico-Vaginale con riferimenti istologici prodotto dalla Hesp Technology
- Coautore del libro "Screening Oncologici- screening del carcinoma della mammella, della cervice uterina e del colon retto" del Ministero della salute - Direzione Generale della Prevenzione
- Coautore della Monografia di Analysis : "Papillomavirus.dal pap test ai vaccini certezze e prospettive"
- Coautore della monografia "HPV e le nuove strategie di prevenzione" Rivista Bimestrale di Politica socio-sanitaria "Salute e Territorio" Anno XXXI Maggio-Giugno 2010
- Coautore del libro " Le nuove strategie:dal test HPV al vaccino" edito da Elsevier

Elenco Pubblicazioni
Scientifiche indicizzate dal
2003

- Effect of circulation and discussion of cervical smears on agreement between laboratories. G Ronco, G Montanari, **Confortini M**, F Parisio, E Berardengo, AM Del Piano, S Arnaud, D Campione, P Poll, E Lynge, e Mancini, N Segnan -Cytopathology 2003 14:115-20.
- Interlaboratory reproducibility of atypical squamous cells of undetermined significance report: a national survey. **Confortini M** Carozzi F, Dalla Palma P, Ghiringhello B, Parisio F, Prandi S, Ronco G, Ciatto S, Montanari G; GISCI Working Group for Cervical Cytology. Cytopathology. 2003 Oct;14(5):263-8
- Persistent human papilloma virus infection as an indicator of risk of recurrence of high-grade cervical intraepithelial neoplasia treated by the loop electrosurgical excision procedure. Cecchini S, Carozzi F, **Confortini M** Zappa M, Ciatto S.. Tumori 2004 Mar-Apr;90(2):225-8.
- Free to total PSA ratio is not a reliable predictor of prostate biopsy outcome. -Ciatto S, Rubeca T, **Confortini M** Pontenani G, Lombardi C, Zendron P, Di Lollo S, Crocetti E. Tumori. 2004 May-Jun;90(3):324-7.
- Comparing conventional and liquid-based smears from a consecutive series of 297 subjects referred to colposcopy assessment. **Confortini M** Bulgaresi P, Cariaggi MP, Carozzi FM, Cecchini S, Cipparrone I, Iossa A, Maddau C, Mancini M, Sani C, Troni M, Zappa M, Ciatto S. Cytopathology. 2004 Jun;15(3):168-70.
- Association of human papillomavirus with prostate cancer: analysis of a consecutive series of prostate biopsies. Carozzi F, Lombardi FC, Zendron P, **Confortini M**, Sani C, Bisanzi S, Pontenani G, Ciatto S. Int J Biol Markers. 2004 Oct-Dec;19(4):257-61.
- Triage with human papillomavirus testing of women with cytologic abnormalities prompting referral for colposcopy assessment. Carozzi FM, **Confortini M** Cecchini S, Bisanzi S, Cariaggi MP, Pontenani G, Raspollini MR, Sani C, Zappa M, Ciatto S. Cancer. 2005 Feb 25;105(1):2-7.
- Randomized Trial of Different Screening Strategies for Colorectal Cancer: Patient Response and Detection Rates Segnan N, Senore C, Andreoni B, Arrigoni A, Bisanti L, Cardelli A, Castiglione G, **Confortini M**, Crosta C, DiPlacido R, Ferrari A, Ferraris R, Ferrero F, Fracchia M, Gasperoni S, Malfitana G, Recchia S, Risio M, Rizzetto M, Saracco G, Spandre M, Turco D, Turco P, Zappa M; SCORE2 Working Group-Italy. J Natl Cancer Inst. 2005 Mar 2;97(5):347-57.
- Segnan N, Senore C, Andreoni B, Arrigoni A, Bisanti L, Cardelli A, Castiglione G, **Confortini M**, Crosta C, DiPlacido R, Ferrari A, Ferraris R, Ferrero F, Fracchia M, Gasperoni S, Malfitana G, Recchia S, Risio M, Rizzetto M, Saracco G, Spandre M, Turco D, Turco P, Zappa M; SCORE2 Working Group-Italy. J Natl Cancer Inst. 2005 Mar 2;97(5):347-57.
- Analysis of morphologic patterns of fine-needle aspiration of the breast to reduce false-negative results in breast cytology. Bulgaresi P, Cariaggi MP, Bonardi L, Carozzi MF, **Confortini M**, Galanti L, Maddau C, Matucci M, Rubeca T, Turco P, Ciatto S, Miccinesi G. - Cancer. 2005 Jun 25;105(3):152-7.
- Reproducibility of HPV DNA Testing by Hybrid Capture 2 in a Screening Setting. Carozzi FM, Del Mistro A, **Confortini M**, Sani C, Puliti D, Trevisan R, De Marco L, Tos AG, Girlando S, Palma PD, Pellegrini A, Schiboni ML, Crucitti P, Pierotti P, Vignato A, Ronco G. - Am J Clin Pathol. 2005 Nov;124(5):716-21.
- Technical evaluation of the new thin layer device cellslide trademark (Menarini Diagnostics). **Confortini M**, Carozzi F, Cortecchia S, Garcia Macias C, Sani C, Tinacci G, Bondi A.). Diagn Cytopathol. 2005 00;33(6):387-393.
- Role of P16(INK4a) expression in identifying CIN2 or more severe lesions among HPV-positive patients referred for colposcopy after abnormal cytology. Carozzi F, Cecchini S, **Confortini M**, Becattini V, Cariaggi MP, Pontenani G, Sani C, Ciatto S. Cancer. 2006 Apr 25;108(2):119-23.

- Prognostic significance of p53 and Ki-67 antigen expression in surgically treated non-small cell lung cancer: immunocytochemical detection with imprint cytology. Maddau C, **Confortini M** Bisanzi S, Janni A, Montinaro F, Paci E, Pontenani G, Rulli P, Salani A, Zappa M, Benvenuti A, Carozzi FM. *Am J Clin Pathol.* 2006 Mar;125(3):425-31.
- On the clinical usefulness of the free-to-total prostate-specific antigen ratio. Ciatto S, Rubeca T, Franceschini R, Trevisiol C, **Confortini M** Pontenani G, Lombardi C. *Int J Biol Markers.* 2006 Jan-Mar;21(1):1-5.
- Human papillomavirus testing and liquid-based cytology: results at recruitment from the new technologies for cervical cancer randomized controlled trial. Ronco G, Segnan N, Giorgi-Rossi P, Zappa M, Casadei GP, Carozzi F, Dalla Palma P, Del Mistro A, Folicaldi S, Gillio-Tos A, Nardo G, Naldoni C, Schincaglia P, Zorzi M, **Confortini M** Cuzick J; New Technologies for Cervical Cancer Working Group. *J Natl Cancer Inst.* 2006 Jun 7;98(11):765-74.
- Human papillomavirus testing and liquid-based cytology in primary screening of women younger than 35 years: results at recruitment for a randomised controlled trial. Ronco G, Giorgi-Rossi P, Carozzi F, Dalla Palma P, Del Mistro A, De Marco L, De Lillo M, Naldoni C, Pierotti P, Rizzolo R, Segnan N, Schincaglia P, Zorzi M, **Confortini M** Cuzick J; New Technologies for Cervical Cancer screening Working Group. *Lancet Oncol.* 2006 Jul;7(7):547-55.
- Evaluation of diagnostic accuracy of screening by fecal occult blood testing (FOBT). Comparison of FOB Gold and OC Sensor assays in a consecutive prospective screening series.. Rubeca T, Rapi S, **Confortini M** Brogioni M, Grazzini G, Zappa M, Puliti D, Castiglione G, Ciatto S. ;Centro per lo Studio e la Prevenzione Oncologica, Florence - Italy . 2006 Jul-Sep;21(3):157-61
- Agreement Between the AMPLICOR(R) HPV Test and the Hybrid Capture(R) 2 Assay in the Detection of High-Risk Human Papillomavirus and Biopsy-confirmed High-Grade Cervical Disease. Carozzi F, Bisanzi S, Sani C, Zappa M, Cecchini S, Ciatto S, **Confortini M.** *J Clin Microbiol.* 2006 Nov 22;
- Interlaboratory reproducibility of atypical glandular cells of undetermined significance: a national survey. **Confortini M** Di Bonito L, Carozzi F, Ghiringhello B, Montanari G, Parisio F, Prandi S; GISCI Working Group for Cervical Cytology. *Cytopathology.* 2006 Dec;17(6):353-60.
- Association of FOBT-assessed faecal Hb content with colonic lesions detected in the Florence screening programme. Ciatto S, Martinelli F, Castiglione G, Mantellini P, Rubeca T, Grazzini G, Bonanomi AG, **Confortini M** Zappa M. *Br J Cancer.* 2007 Jan 9;
- HPV triage for low grade (L-SIL) cytology is appropriate for women over 35 in mass cervical cancer screening using liquid based cytology. Ronco G, Cuzick J, Segnan N, Brezzi S, Carozzi F, Folicaldi S, Palma PD, Mistro AD, Gillio-Tos A, Giubilato P, Naldoni C, Polla E, Iossa A, Zorzi M, **Confortini M** Giorgi-Rossi P; NTCC working group. *Eur J Cancer.* 2007 Jan 11;
- Agreement between the AMPLICOR Human Papillomavirus Test and the Hybrid Capture 2 Assay in Detection of High-Risk Human Papillomavirus and Diagnosis of Biopsy-Confirmed High-Grade Cervical Disease. Carozzi F, Bisanzi S, Sani C, Zappa M, Cecchini S, Ciatto S, **Confortini M.** *J Clin Microbiol.* 2007 Feb;45(2):364-9
- Gastric cancer after positive screening faecal occult blood testing and negative assessment.. Zappa M, Visioli CB, Ciatto S, Grazzini G, Rubeca T, Bonanomi AG, **Confortini M** Paci E, Castiglione G. *Dig Liver Dis.* 2007 Feb 19;
- Accuracy of liquid based versus conventional cytology: overall results of new technologies for cervical cancer screening randomised controlled trial. Ronco G, Cuzick J, Pierotti P, Cariaggi MP, Palma PD, Naldoni C, Ghiringhello B, Giorgi-Rossi P, Minucci D, Parisio F, Pojer A, Schiboni ML, Sintoni C, Zorzi M, Segnan N, **Confortini M.** *BMJ.* 2007 May 21;
- Comparing attendance and detection rate of colonoscopy with sigmoidoscopy and FIT for colorectal cancer screening. Segnan N, Senore C, Andreoni B, Azzoni A, Bisanti L, Cardelli A, Castiglione G, Crosta C, Ederle A, Fantin A, Ferrari A, Fracchia M, Ferrero F, Gasperoni S, Recchia S, Risio M, Rubeca T, Saracco G, Zappa M; **SCORE3 Working Group-Italy.** *Gastroenterology.* 2007 Jun;132(7):2304-12. Epub 2007 Mar 21
- Interlaboratory reproducibility of liquid-based equivocal cervical cytology within a randomized controlled trial framework. **Confortini M** Bondi A, Cariaggi MP, Carozzi F, Dalla Palma P, Ghiringhello B, Minucci D, Montanari G, Parisio F, Prandi S, Schiboni ML, Ronco G. *Diagn Cytopathol.* 2007 Sep;35(9):541-4.

- 32P-Post-labelling method improvements for aromatic compound-related molecular epidemiology studies. Munnia A, Saletta F, Allione A, Piro S, **Confortini M** Matullo G, Peluso M. *Mutagenesis*. 2007 Aug 22;
- The impact of new technologies in cervical cancer screening: Results of the recruitment phase of a large randomised controlled trial from a public health perspective. Giorgi-Rossi P, Segnan N, Zappa M, Naldoni C, Zorzi M, **Confortini M** Merito M, Cuzick J, Ronco G; and the NTCC Working Group. *Int J Cancer*. 2007 Aug 27;
- The New Technologies for Cervical Cancer Screening randomised controlled trial. An overview of results during the first phase of recruitment. Ronco G, Brezzi S, Carozzi F, Dalla Palma P, Giorgi-Rossi P, Minucci D, Naldoni C, Segnan N, Zappa M, Zorzi M, Cuzick J; **NTCC study group**. - *Gynecol Oncol*. 2007 Oct;107(1 Suppl 1):S230-2
- HPV vaccination: the bewilderment of the staff engaged in traditional cervical cancer screening. Montanari GR, **Confortini M** Ghiringhella B. *Epidemiol Prev*. 2007 Jul-Aug;31(4):189-91
- Results at recruitment from a randomized controlled trial comparing human papillomavirus testing alone with conventional cytology as the primary cervical cancer screening test. Ronco G, Giorgi-Rossi P, Carozzi F, **Confortini M** Dalla Palma P, Del Mistro A, Gillio-Tos A, Minucci D, Naldoni C, Rizzolo R, Schincaglia P, Volante R, Zappa M, Zorzi M, Cuzick J, Segnan N; New Technologies for Cervical Cancer Screening Working Group. *J Natl Cancer Inst*. 2008 Apr 2;100(7):492-501.
- Use of p16-INK4A overexpression to increase the specificity of human papillomavirus testing: a nested substudy of the NTCC randomised controlled trial. Carozzi F, **Confortini M** Palma PD, Del Mistro A, Gillio-Tos A, De Marco L, Giorgi-Rossi P, Pontenani G, Rosso S, Sani C, Sintoni C, Segnan N, Zorzi M, Cuzick J, Rizzolo R, Ronco G; the New Technologies for Cervical Cancer screening (NTCC) working group. *Lancet Oncol*. 2008 Sep 8.
- Comparison of the conventional cervical smear and liquid-based cytology: results of a controlled, prospective study in the Abruzzo Region of Italy. Maccallini V, Angeloni C, Caraceni D, Fortunato C, Venditti MA, Di Gabriele G, Antonelli C, Lattanzi A, Puliti D, Ciatto S, **Confortini M** Sani C, Zappa M. *Acta Cytol*. 2008 Sep-Oct;52(5):568-74.
- Cost evaluation in a colorectal cancer screening programme by faecal occult blood test in the District of Florence. Grazzini G, Ciatto S, Cislighi C, Castiglione G, Falcone M, Mantellini P, Zappa M; **The Working Group of Regional Reference Centre for Oncological Screening of Tuscany**. *J Med Screen*. 2008;15(4):175-181
- Immunochemical faecal occult blood test: number of samples and positivity cutoff. What is the best strategy for colorectal cancer screening? Grazzini G, Visioli CB, Zorzi M, Ciatto S, Banovich F, Bonanomi AG, Bortoli A, Castiglione G, Cazzola L, **Confortini M**, Mantellini P, Rubeca T, Zappa M. *Br J Cancer*. 2009 Jan 27;100(2):259-65
- Efficacy of human papillomavirus testing for the detection of invasive cervical cancers and cervical intraepithelial neoplasia: a randomised controlled trial. Ronco G, Giorgi-Rossi P, Carozzi F, **Confortini M**, Palma PD, Del Mistro A, Ghiringhella B, Girlando S, Gillio-Tos A, De Marco L, Naldoni C, Pierotti P, Rizzolo R, Schincaglia P, Zorzi M, Zappa M, Segnan N, Cuzick J; the New Technologies for Cervical Cancer screening (NTCC) Working Group. *Lancet Oncol*. 2010 Jan 18
- The use of digital images to evaluate the interobserver agreement on cervical smear readings in Italian cervical cancer screening. Tinacci G, Biggeri A, Pellegrini A, Cariaggi MP, Schiboni ML, **Confortini M**. *Cytopathology*. 2010 May 12
- Prevalence of human papillomavirus types in high-grade cervical intraepithelial neoplasia and cancer in Italy. Carozzi FM, Tornesello ML, Burrioni E, Loquercio G, Carillo G, Angeloni C, Scalisi A, Macis R, Chini F, Buonaguro FM, Giorgi Rossi P; **HPV Prevalence Italian Working Group**. *Cancer Epidemiol Biomarkers Prev*. 2010 Sep;19(9):2389-400.
- Human papillomavirus infection and risk factors in a cohort of Tuscan women aged 18-24: results at recruitment. **Confortini M**, Carozzi F, Zappa M, Ventura L, Iossa A, Cariaggi P, Brandigi L, Franchini M, Mirri F, Viacava P, Scarfanti A, Bazzanti D, Sani C. *BMC Infect Dis*. 2010 Jun 7;10:157.

- Screening for cervical cancer with the human papillomavirus test in an area of central Italy with no previous active cytological screening programme. **Confortini M**, Giorgi Rossi P, Barbarino P, Passarelli AM, Orzella L, Tufi MC. *J Med Screen*. 2010 Jun;17(2):79-86.
- Influence of seasonal variations in ambient temperatures on performance of immunochemical faecal occult blood test for colorectal cancer screening: observational study from the Florence district. Grazzini G, Ventura L, Zappa M, Ciatto S, **Confortini M**, Rapi S, Rubeca T, Visioli CB, Halloran SP. *Gut*. 2010 Jul 5
- The use of digital images to evaluate the interobserver agreement on cervical smear readings in Italian cervical cancer screening. Tinacci G, Biggeri A, Pellegrini A, Cariaggi MP, Schiboni ML, **Confortini M**. *Cytopathology*. 2011 Apr;22(2):75-81. doi: 10.1111/j.1365-2303
- The effect of self-sampled HPV testing on participation to cervical cancer screening in Italy: a randomised controlled trial (ISRCTN96071600). Giorgi Rossi P, Marsili LM, Camilloni L, Iossa A, Lattanzi A, Sani C, Di Pierro C, Grazzini G, Angeloni C, Capparucci P, Pellegrini A, Schiboni ML, Sperati A, **Confortini M**, Bellanova C, D'Addetta A, Mania E, Visioli CB, Sereno E, Carozzi F; Self-Sampling Study Working Group. *Br J Cancer*. 2011 Jan 18;104(2):248-54.
- Comparison of clinical performance of Abbott RealTime High Risk HPV test with that of hybrid capture 2 assay in a screening setting. Carozzi FM, Burrioni E, Bisanzi S, Puliti D, **Confortini M**, Giorgi Rossi P, Sani C, Scalisi A, Chini F. *J Clin Microbiol*. 2011 Apr;49(4):1446-51
- Concurrent infections with multiple human papillomavirus (HPV) types in the New Technologies for cervical cancer (NTCC) screening study. Carozzi F, Ronco G, Gillio-Tos A, De Marco L, Del Mistro A, Girlando S, Franceschi S, Plummer M, Vaccarella S.; New Technology for Cervical cancer screening (NTCC) working Group. *Eur J cancer* 2012 Jun;48 (11) : 1633-7.
- Human papilloma Virus (HPV) , cervical cancer incidence and screening uptake: difference among northern, central and Southern Italy. Giorgi Rossi P, Carozzi F, Collina G, **Confortini M**, Angeloni C, Buzzoni C, Buonaguro FM.; Gruppo di lavoro HPV Prevalenza. *Epidemiol Prev*. 2012 mar-apr;36(2) :108-119.
- HPV testing is an efficient management choice for women with inadequate liquid-based cytology in cervical cancer screening. Giorgi Rossi P, Carozzi F, Collina G, Confortini M, dalla palma P, De Lillo M, Del Mistro A, Ghiringhello B; Gillio-Tos A, Maiali P, Pellegrini A, Schiboni ML, Segnan N, Zaffina LM, Zorzi M, Ronco G; NTCC Working Group. *Am J Clin Pathol*. 2012 Jul; 138 (1):65-71.
- Health Technology assessment report: HPV DNA based primary screening for cervical cancer precursors. Ronco G, Biggeri A, **Confortini M**, Naldoni C, Segnan N, Sideri M, Zappa M, Zorzi M, Calvia M, accetta G, Giordano L, Cogo C, carozzi F, Gillio-Tos A, Arbyn M, Meijer CJ, Snijders PJ, Cuzick J, Giorgi Rossi P. *Epidemiol Prev*. 2012 may-aug;36 (3-4 Suppl1):e1-72.
- Overall evaluation of an immunological latex agglutination system for fecal occult blood testing in the colorectal cancer screening program of Florence. Rubeca T, Peruzzi B, Confortini M, Rapi S. *Int J Biol Markers* 2012 Oct 8;27(3):195-202.

- Health Technology assessment report: Use of liquid-based cytology for cervical cancer precursors screening. Ronco G, **Confortini M**, Maccallini V, Naldoni C, Segnan N, Sideri M, Zappa M, Zorzi M, Calvia M, Giorgi Rossi P. Epidemiol Prev. 2012 Sept-Oct;36 (5 Suppl2): 1-33.
 - Risk of high-grade intraepithelial neoplasia during follow-up in HPV-positive women according to baseline p16-INK4A results: a prospective analysis of a nested substudy of the NTCC randomised controlled trial. Carozzi F, Gillio-Tos A, **Confortini M**, Del Mistro A, Sani C, De marco L, Girlando S, Rosso S, Naldoni C, dalla Palma P, Zorzi M, Giorgi-Rossi P, Segnan N, Cuzick J, Ronco G; NTCC working group. Lancet Oncol 2013 Feb;14 (2) :168-76.
 - Difference in overall and age-specific prevalence of high-risk human papillomavirus infection in Italy: evidence from NTCC trial. Baussano I, Franceschi S, Gillio-Tos A, Carozzi F, **Confortini M**, et Al. BMC infect dis.2013 May 24;13(1) 238.
 - Clinical impact of the analytical of the hybrid capture 2 test:data from the New Technologies for Cervical cancer (NTCC) study.Gillio-Tos A, De marco L, Carozzi F, del Mistro A, Girlando S, Burroni E, Frayle-Salamanca H, Giorgi Rossi p,Pierotti P,Ronco G; **New Technologies for Crvical cancer Screening Working Group**. J Clin Microbiol 2013 Sep;51(99 2901-7:
 - Hr-HPv testing in the follow-up of women with cytological abnormalities and negative colposcopy. Carozzi F, Visioli CB, **Confortini M**, lossa A, Mantellini P,Burroni E, Zappa M.Br J Cancer 2013 Oct 1;109 (79 :1766-74.
 - Efficacy of HPV-based screening for prevention of invasive cervical cancer:follow-up of four European randomised controlled trials. Ronco G, Dillner J, Elfstrom KM et Al.; International HPV working group. Lancet 2014 Feb 8;383 (9916):524-32.
 - Aromatic adducts and lung cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) Spanish cohort.
Gilbertson T, Peluso ME, Munia A, Luján-Barroso L, Sánchez MJ, Navarro C, Amiano P, Barricarte A, Quirós JR, Molina-Montes E, Sánchez-Cantalejo E, Tormo MJ, Chirlaque MD, Ardanaz E, Dorronsoro M, **Confortini M**, Bonet C, Sala N, González CA, Agudo A. Carcinogenesis 2014 Sep;35(9)2047-2054.
- Daily peer review of abnormal cervical smears in the assessment of individual practice as an additional method of internal quality control.**Confortini M**, Di Stefano C, Biggeri A, Bulgaresi P, Di Claudio G, Grisotto L, Maddau C, Matucci M, Petreschi C, Troni GM, Turco P, Foxi P.Cytopathology 2014 Aug 13
- Cervical cancer screening with HPV testing in the Valcamonica (Italy) screening programme.Pasquale L, Giorgi Rossi P, Carozzi F, Pedretti C, Ruggeri C, Scalvinoni V, Cotti Cottini M, Tosini A, Morana C, Chiaramonte M, Sacristani M, Cirelli R, Chiudinelli D, Piccolomini M, Marchione R, Romano L, Domenighini S, Pieracci G, **Confortini M**. J Med Screen.2014 Nov27
 - Informed Cytology for Triaging HPV-Positive Women: Substudy Nested in the NTCC Randomized Controlled Trial.Bergeron C, Giorgi-Rossi P, Cas F, Schiboni ML, Ghiringhello B, Dalla Palma P, Minucci D, Rosso S, Zorzi M, Naldoni C, Segnan N, Confortini M, Ronco G.J Natl Cancer Ist 2015 Jan.7;107(2):

Firenze

26 Gennaio 2015

Dr. Massimo Confortini

Massimo Confortini